

AMBON: Arctic Marine Biodiversity Observing Network

Iken K¹, Cooper L², Grebmeier J², Danielson S¹, Mueter F¹, Hopcroft R¹, Stafford K³, Kuletz K⁴, Collins E¹, Kavanaugh M⁸, Bluhm B^{1,5}, Moore S⁶, Buckelew S⁷, Bochenek R⁷

(1) University of Alaska Fairbanks; USA; (2) University of Maryland, USA; (3) University of Washington, USA; (4) US Fish and Wildlife Service, USA; (5) University of Tromsø, Norway; (6) National Oceanographic and Atmospheric Administration, USA; (7) Alaska Ocean Observing System/AXIOM, USA; (8) Oregon State University















AMBON status

- What have we done in the past year, and how is that work addressing the needs of our targeted users?
- How are we measuring the impact on the user community that we serve?
- How are we progressing with shared cross-MBON priorities, advancing eDNA methods for the MBON community, and leveraging seascapes?




What have we done in the past year, and how is that work addressing the needs of our targeted users?




- Field work
- Data publication
- Manuscripts
- Seascapes

AMBON field work


- interannual variability
- long-term data sets








• Environmental interannual variability









2015: fresher, colder

2017: saltier, warmer

Water column chlorophyll


Higher in 2015 Bloom ongoing







Sediment chlorophyll


Higher in 2017 Bloom settled







- Interannual variability in fish
- Higher species richness in 2017
- Higher biomass in some species (Arctic cod)
- Warmer temperatures?






- Interannual variability in seabirds
- Fewer birds in 2017 than 2015
- Less shearwaters in north and less least auklets in central breeding colonies
- Poor food conditions? Low overwinter survival?







- Adding to 10-year time series in northern Chukchi Sea
- Warm years tend to be dominated by smaller-bodied *Pseudocalanus* species
- Coldest years are dominated by largerbodied *Calanus* species




- Adding to long-term time series, persistence of macrofauna "hotspots"
- Link to Distributed Biological Observatory DBO







- All project metadata represented on MBON data portal
- Use Darwin Code for biological data sets to link to NCEI
- AMBON data discoverable through the IOOS MBON data portal





- 1 In Review at Deep-Sea Research ii (DBO Special Issue)
- 2 Does one size fit all? Observational design for epibenthos and fish assemblages in the Chukchi Sea
- 3 Iken K^{1,*}, Mueter F¹, Grebmeier JM², Cooper LW², Danielson S¹, Bluhm B³
- 4 * Corresponding author: kbiken@alaska.edu, phone: 907-4745192
- 6 Abstract
- 7 In light of ongoing, and accelerating, environmental changes in the Pacific Arctic Ocean, the ability to
- 8 track subsequent changes over time in various marine ecosystem components has become a major
- 9 research goal. The high logistical efforts and costs associated with arctic work demand the prudent use
- 10 of existing resources for the most comprehensive information gain. Here, we compare the information
- 11 that can be gained for epibenthic invertebrate and for demersal fish assemblages from two existing
- 12 long-term observational programs in the Chukchi Sea: two transects of the Distributed Biological
- 13 Observatory (DBO) and the Arctic Marine Biodiversity Observing Network (AMBON). The two DBO lines
- Manuscript in review using AMBON data to assess spatial observational design for epifauna and fish (AMBON vs DBO)
- Recommendations made for extension of DBO 4 line for fish and epifauna sampling
- Example of management application by linking DBO and AMBON





- M. Kavanaugh's NSPIRES (NASA) project now linked to AMBON
- Kick-off networking during AMBON PI meeting (Jan 2018)





- How do dynamic seascapes characterize pelagic habitat across the array of conditions experienced in the Arctic?
- How are pelagic habitats and species associations changing in time?
- Zooplankton long-term data set ideal to test seascapes

How are we measuring the impact on the user community that








Impact

X-MBON

AMBON




Biodiversity focus

Large regional coverage

Microbes to whales

DBO

Distributed Biological Observatory



Regional biomass "hotspot" transects
Change detection array

Seascapes

Logistics

Biomass

Biodiversity

Open access



Chukchi Ecosystem Observatory







Year-round high resolution ecosystem monitoring & process studies

Seasonality

Complementary

Data

Temporal scale

Spatial scale

Informing management entities




Interagency Arctic Research Policy Committee

- Arctic Research Plan for 2017-2021
- Goals: Well-being, Stewardship, Security, Arctic-Global Systems
- Performance elements:
 - 4.1. Increase knowledge on the distribution and abundance of Arctic marine species across all trophic levels and scales
 - 4.1.2. Continue studies to document Arctic marine species biodiversity (e.g. Arctic Marine Biodiversity Observation Network—AMBON—and programs that monitor loss of sea ice) and habitat use in the Arctic. Ensure datasets will be available through open access data portals.....
 - 4.3 Advance the understanding of how climate-related changes, biophysical interactions, and feedbacks at different scales in the marine ecosystems impact Arctic marine resources and human communities
 - 4.3.1 Continue Distributed Biological Observatory (DBO) sampling in regions 1-5 and make data publicly available




 Discussions about using AMBON template for observing network in other Arctic regions under gas & oil development (Environmental Studies Planning)









- Circumpolar Biodiversity Monitoring Program (CBMP)
 - AMBON PIs as expert members in CBMP
 - State of the Arctic Marine Biodiversity Report (SAMBR, 2017)






- Real-time sharing with stakeholders
- Daily e-mail to Native villages and managers (85 recipients)
- Presenting in Nome (Bering Strait region) before cruise
- Presenting to Alaska Eskimo Whaling Commission (AEWC)
- Presenting to Alaska Waterways Safety Committee (AWSC)



How are we progressing with shared cross-MBON priorities, advancing eDNA methods for the MBON community, and leveraging seascapes?



Contribute to global efforts as feasible



eDNA

72°N

175°W

170°W

165°W

71°N

70°N


69°N


68°N

67°N

- Parallel effort (for consistency with historical data)
- Bacteria (16S), eukaryote (18S) and eukaryote (ITS)

160°W











Seascapes in the Arctic


- Extend biogeographic framework across all US- MBONS
- Test classification
- Link to AMBON data (e.g., zooplankton)














- Test case for MBON data sets to OBIS
- AMBON data (2015, partial 2017) in MBON portal and discoverable



